

ZIMBABWE

SECOND ROUND CROP AND LIVESTOCK ASSESSMENT REPORT 2019/2020 SEASON

MINISTRY OF LANDS, AGRICULTURE, WATER AND RURAL RESETTLEMENT

13 MAY 2020

Contents

1.	E	XECUTIVE SUMMARY	4
	1.1	FIELD CROPS	4
	1.2	HORTICULTURE	8
	1.3	LIVESTOCK	9
2.	F	OOD AND CASH CROP PRODUCTION	.11
2	2.1	CEREAL GRAIN, TUBERS AND PULSES PRODUCTION COMPARED TO REQUIREMENT	11
2	2.2	CEREAL PRODUCTION VERSUS CONSUMPTION REQUIREMENT	12
2	2.3	PRODUCTION ESTIMATES FOR CASH CROPS (MT)	14
3.	SI	CASON PERFOMANCE	. 15
	3.1	SEASON QUALITY	15
	3.2	DRY SPELLS AND END OF RAINFALL SEASON	
4.	C	ROP PRODUCTION	. 17
2	4.1	MAIZE	17
2	4.2	SORGHUM PRODUCTION BY PROVINCE	20
4	4.3	PEARL MILLET	22
4	4.4	PEARL MILLET SECTOR CONTRIBUTION	23
4	4.5	FINGER MILLET SECTOR CONTRIBUTION	
2	4.6	GROUNDNUT	26
2	4.7	ROUND NUT	27
4	4.8	SUGAR BEANS	28
4	4.9	COWPEA	
4	4.10	SWEET POTATO	
4	4.11	SESAME	
4	4.12	RICE	
4	4.13	SUNFLOWER	
	4.14	TOBACCO	
	4.15	COTTON	
4	4.16	SOYABEAN	36

4.	4.17 OTHER FIELD CROPS	
5	HORTICULTURE	
5.	5.1 PERENNIAL CROPS PRODUCTION	20
0.	5.2 ANNUAL CROPS PRODUCTION	
01.		
6	LIVESTOCK PRODUCTION	40
6.	5.1 LIVESTOCK NUMBERS	
6.2	5.2 CATTLE CONDITION	
6.3	5.3 GRAZING CONDITION AND AVAILABILITY	
6.4	5.4 WATER AVAILABILITY	
6.	5.5 CALVING RATES	
6.0	5.6 BULLING RATIO	
6.7		
6.8	5.8 BEEF CATTLE OFFTAKE	
6.9	5.9 CATTLE MARKETING	
6.	5.10 DAIRY PRODUCTION	
6.	5.11 SMALL RUMINANTS (SHEEP AND GOATS)	
6.	5.12 POULTRY PRODUCTION	
6.	5.13 PIG PRODUCTION	
7.	STOCK-FEEDS SITUATION	61
	DIPPING AND TICKBORNE DISEASES	
8.		
8.	3.1 CATTLE DIPPING SITUATION	
8.2	3.2 TICK-BORNE DISEASES	
9.	RECOMMENDATIONS	64

1. EXECUTIVE SUMMARY

1.1 FIELD CROPS

- 1.1.1 The 2019/2020 season was characterized by late on-set of rains across the country and false- starts in the southern and south-eastern parts of the country. This affected the crop establishment. Long dry spells in late December and January as well as the early cessation of the season negatively affected the planted crop
- 1.1.2 The estimated maize production is **907 628 MT** which is **17%** more than the **776 635 MT** produced during the 2018/2019 season.
- 1.1.3 Traditional Grains production for the 2019/2020 season is estimated at 152 515 MT which is 103% more compared to 75 209 MT in 2018/2019. The increase is attributed to increased support from the Presidential Input Scheme, encouragement by the Ministry as well capacity building of farmers.
- 1.1.4 Sorghum production is expected to be **103 684 MT** which is **158%** more than **40 215 MT** obtained during 2018/2019 season ,
- 1.1.5 Finger Millet production is expected to be at 9 799 MT which is 41% more than 6 947 MT produced in the 2018/2019 season
- 1.1.6 Pearl Millet Production is expected to be at **39 032 MT** which is **39%** more than **28 047 MT** obtained during **2018/2019** season.

- 1.1.7 The total Cereal production is 1 060 143 MT against a national cereal requirement of 2 227 782 MT for human and livestock consumption. Cereal requirement for livestock is estimated at 450 000 MT
- 1.1.8 There was no carry over stock at GMB from the previous season hence a larger deficit compared to last year.

TABLE 1: Cereal Production Compared to National Requirements in Metric Tonnes

Requirements(MT)		Available Grain ar		Surplus/Deficit(MT)
¹ Human	1 777 782	Maize	907 628	
Livestock	450 000	Small Grains	152 515	
Total	2 227 782		1 060 143	² -1 167 639

¹Human consumption is computed from a consumptions rate of **120kg**/person/year and a national population estimate of **14 814 853** ²Unlike same time last year, there was no carryover stocks in GMB depots, hence the deficit this year appears larger than last year.

- 1.1.9 Mashonaland West and Mashonaland Central have cereal surplus production while the rest of the provinces have deficits
- 1.1.10 Out of the **60** administrative rural districts in the country, **32 (53%)** are in a deficit situation with cereals that can last between **0 6 months**.
- 1.1.11 Cotton production is estimated at **101 000 MT (101 Million Kgs)** which is **52%** more than **76 687** obtained in 2018/2019 season due to increased coverage of the Presidential Input Scheme

- 1.1.12 Tobacco production is estimated at **224 158 MT (224.158 million Kgs)** compared to **259 530 MT** (**259. 53 Million Kgs)** in 2018/2019 season which is a **14%** decrease.
- 1.1.13 Soyabean production is estimated at **47 088 MT** compared to **60 068 MT** in 2018/2019 season which is a **22%** decrease.
- 1.1.14 Groundnut production increased by **23%** from **70 902 MT** in the 2018/2019 season to **87 479 MT** this season.
- 1.1.15 Sugar beans increased by 33% from 9 528 MT in 2018/2019 to 12 650 MT in 2019/2020 whereas cowpeas increased by 26% from 12 655 MT to 18 430 MT and round nuts production decreased 19% from 29 396 MT in 2018/2019 season to 23 832 MT
- 1.1.16 Sweet potatoes production increased by **30%** from **88 248 MT to 114 558 MT**.
- 1.1.17 Sesame production is estimated at **5 037 MT** which is **15%** decrease compared to **5 958 MT** obtained in 2018/2019 season
- 1.1.18 Sunflower production is estimated at **9 447 MT** which is **49%** increase from **6 356 MT** obtained in 2018/2019 season
- 1.1.19 Cassava production is estimated to be at **12 796 MT** which is **128%** increase compared to **5 602 MT** obtained in 2018/2019 season.

FOOD CROP PRODUCTION ESTIMATES

TABLE 2: FOOD CROP PRODUCTION ESTIMATES (MT)

Сгор	2019/2020	2018/2019	%
Maize	907 629	776 635	17
Sorghum	103 684	40 215	158
Pearl Millet	39 032	28 047	39
Finger Millet	9 799	6 947	41
Groundnut	87 479	70 902	23
Round Nut	23 832	29 396	-19
Sweet Potato	114 558	88 248	30
Sugar Beans	12 650	9 528	33
Cowpeas	18 430	12 655	26

1.2 HORTICULTURE

- 1.2.1 There is an overall increase in area and production under horticultural crops for the 2019/2020 season.
- 1.2.2 Macadamia production for the 2019/2020 increased by 44% from 43 064 MT to 61 913 MT.
- 1.2.3 Sugarcane production is estimated at **5 860 931 MT** which is **5%** increase from **5 562 674 MT** obtained in 2018/2019 season.
- 1.2.4 Coffee production increased by 9% from 531 MT in the 2018/2019 season to 579 MT this season.
- 1.2.5 Tea production has increased by 6% from 37 835 MT to 40 185 MT.
- 1.2.6 The production of Irish Potato has increased by 45% from 408 158 MT to 592 779MT.

1.3 LIVESTOCK

- 1.3.1 The national beef cattle herd declined by 5.7% from 5 774 525 cattle in 2018 to 5 443 770 cattle in 2019.The average national cattle mortality rate increased from 5% in 2018 to 9% in 2019.
- 1.3.2 The national calving rates range from **34%** in communal areas to **46%** in the large-scale commercial sector against a national target of **60%**.
- 1.3.3 Grazing availability is critical in some districts of Matabeleland North, Matabeleland South, southern districts of Midlands and Masvingo where it is expected to last up to July. In most districts of the Mashonaland Provinces and Manicaland available grazing is expected to last between four and eight months
- 1.3.4 Water for livestock is available in most districts but shortages are expected in the traditionally dry parts of Midlands and the southern provinces before the next rainy season
- 1.3.5 Dipping was generally inadequate at the time of the second round livestock assessment as a result of insufficient supplies of dipping chemicals
- 1.3.6 The open market and abattoirs are the major market types for live cattle, sheep and goat sales. Regulated livestock markets, which offer better returns, are mainly limited to Masvingo and Matabeleland provinces

- 1.3.7 The number of beef cattle slaughtered at registered abattoirs decreased by **12%** from **266 220** in 2018 to **235 018** in 2019
- 1.3.8 The average national off-take rate for cattle is **6%** whilst off take for sheep and goats is **9%** and **11%** respectively, against an expected target of **15%**.
- 1.3.9 Total milk production rose by 6%, that is, from 75 422 158 Litres in 2018 to 79 896 215 Litres in 2019
- 1.3.10 A total of **74 million day old broiler chicks** were produced in 2019, a **19%** decline compared to the **91** million chicks produced in 2018.
- 1.3.11 An estimated **24%** increase in table egg production was recorded in 2019 **(50.4 million dozens)** compared to **36.4 million dozens** the previous year.
- 1.3.12 Pig slaughters at abattoirs increased by **11%** to **192 747** in 2019 from **173 694** in 2018.
- 1.3.13 High stock feed prices are affecting enterprise viability.

2. FOOD AND CASH CROP PRODUCTION

2.1 CEREAL GRAIN, TUBERS AND PULSES PRODUCTION COMPARED TO REQUIREMENT

TABLE 3: CEREAL GRAIN, TUBERS AND PULSES PRODUCTION COMPARED TO NATIONAL REQUIREMENTS

Crop	Requirements (MT)	Available Food Production (MT)	Surplus/Deficits (MT)
¹ Cereal (Maize, sorghum, pearl and finger millet)	1 777 782	1 060 142	-717 639
² Groundnut	103 704	87 479	-16 225
² Roundnut	133 334	23 832	-109 502
² Sugarbean	103 704	12 650	-91 054
² Cowpeas	88 889	18 430	-70 459
² Sweet Potato	311 112	114 558	-196 554
Total	2 518 525	1 317 092	-1 201 433

¹Cereal requirement is computed from a consumptions rate of 120kg/person/year and a national population (2012 Census factoring in growth rate) of **14 814 853**(*consumption range being 100-140kg/person/year*).


²Other crops requirement is based on 2100Kcal requirement per person per day and calculated from the ZimVac Household Economy Approach Baseline Survey 2009/10 for 25 Livelihood Zones across Zimbabwe. Groundnuts 7kg/person/year, Roundnuts 9kg/person/year, Sweet potato 21kg/person/year, Sugar beans 7kg/person/year, Cowpeas 6kg/person/year.

The above requirements are for human consumption ONLY. Cereal requirements for livestock are estimated at 450 000M per year.

CEREAL SUFFICIENCY BY DISTRICT


2.2 CEREAL PRODUCTION VERSUS CONSUMPTION REQUIREMENT

FIGURE 1: CEREAL (MAIZE AND TRADITIONAL GRAINS) SUFFICIENCY FOR PROVINCES



Province	0-3 Months	4-6 Months	7-9 Months	10-12 Months	More than 12 months
Mashonaland West		Mhondoro- Ngezi	Kariba	Sanyati	Chegutu, Hurungwe Makonde, Zvimba
Mashonaland Central		Mbire	Mt Darwin, Rushinga, Shamva		Muzarabani, Bindura, Mazowe, Guruve
Mashonaland East	UMP	Mudzi, Mutoko	Murehwa, Chikomba	Goromonzi, Marondera	Seke, Hwedza,
Manicaland	Mutare	Buhera, Chipinge, Mutasa, Nyanga, Chimanimani	Makoni		
Midlands	Gweru, Mberengwa	Gokwe North, Shurugwi, Zvishavane		Gokwe South, Kwekwe	Chirumhanzu,
Masvingo	Chivi, Mwenezi	Bikita, Chiredzi, Masvingo, Zaka	Gutu		
Matabeleland North			Binga, Bubi		
Matabeleland South	Beitbridge, Bulilima, Mangwe Gwanda, Matobo	Umzingwane,			Insiza

FIGURE 2: CEREAL (MAIZE AND SMALL GRAINS) SUFFICIENCY FOR RURAL WARDS



2.3 PRODUCTION ESTIMATES FOR CASH CROPS (MT)

TABLE 5: PRODUCTION ESTIMATES FOR CASH CROPS (MT)


CROP	2019/2020	2018/2019	%
Tobacco	218 303	259 530	-16
Cotton	101 000	66 564	52
Soya bean	47 088	60 068	-22

3. SEASON PERFOMANCE


3.1 SEASON QUALITY

- 3.1.1 The rains started in the second and third weeks of November. The rainfall season ended early in the southern areas, that is in early March 2020
- 3.1.2 Temporal and spatial distribution of rainfall was generally poor throughout the season.
- 3.1.3 The season was characterized by several dry spells of different duration lasting to up to 55 days in some places.
- 3.1.4 These dry spells coincided with periods of very high temperatures with some stations including Chiredzi, Beitbridge, Zvishavane, Chinhoyi, Lupane, Kadoma, Gweru, Zaka, Hwedza having recorded recordbreaking temperatures of up to 42°C during the month of December.
- 3.1.5 The second half of the season performed better than the first half, with February contributing significantly in terms of accumulated rainfall amounts between 200mm to 600mm in some districts.

3.2 DRY SPELLS AND END OF RAINFALL SEASON



- The longest dry spells were experienced in parts of Matabeleland South, the southern part of Midlands (around Zvishavane), Masvingo and southern areas of Manicaland province as well as the extreme north around Kanyemba.
- The longest dry spells of up to **55 days** without rainfall were in the southern parts of Midlands.




Met services

- The last effective rainfall in most parts of the country was around the second and third weeks of March, although parts of Mashonaland Central and Mashonaland West experienced a late cessation of the rainfall which extended into April.
- The stretch covering Mwenezi, Chivi in Masvingo province into Umzingwane in Matabeleland South Province, experienced the earliest cessation and affected the performance of the late planted crops


4. CROP PRODUCTION

4.1 MAIZE




 Estimated maize production stands at 907 628 MT which is 17% more than the 776 635 MT obtained during the 2018/2019 season. Mashonaland West, Mashonaland Central and Mashonaland East, are contributing almost 70% of the total maize production.

MAIZE PRODUCTION BY SECTOR



• The communal sector had the biggest area under maize crop, however yields remain lowest in this sector, whilst the A2 sector has the highest yields and a very significant proportion of the overall maize produced.

FIGURE 6: AVERAGE MAIZE YIELDS




• The bulk of the country experienced very low yields, especially in the southern provinces. This is attributed to the late onset of the rain season, midseason dry spells and an early cessation to the rainfall season.

4.2 SORGHUM PRODUCTION BY PROVINCE

	2019/2020			2018/2019			30000 0.
PROVINCE	На	T/Ha	МТ	На	T/Ha	МТ	25000 0.
Mashonaland West	20 389	0.51	10 435	4 361	0.36	1 579	20000 0.
Mashonaland Central	50 032	0.4	19 920	31 002	0.33	10 242	LTW 15000 0.
Mashonaland East	22 777	0.29	6 579	20 339	0.27	5 410	
Manicaland	41 839	0.25	10 568	25 970	0.13	3 388	
Midlands	69 255	0.41	28 213	33 879	0.27	8 993	5000 0.
Masvingo	66 592	0.23	15 022	38 879	0.14	5 231	
Matabeleland North	37 982	0.23	8 563	24 234	0.11	2 655	Jacob Mert and central adard frast water water water a start out the start of the s
Matabeleland South	24 490	0.18	4 382	23 212	0.12	2 717	Nashor Nashoran Nashori , Nashore Nashore
Total	333 355	0.31	103 684	201 876	0.2	40 215	2019/2020 MT 2018/2019 MT 2019/2020 T/Ha 2018/2019 T/Ha


- Sorghum area and production substantially increased in the current season due to increased support from the government Presidential support scheme.
- Production increased by 158% from 40 125 MT produced in the 2018/2019 season to 103 684 MT in the current season.

SORGHUM PRODUCTION (MT) BY SECTOR




• The communal sector largely dominates sorghum production accounting for **78%** of total production, However the average yields are still low compared to the A2, Small Scale and Old resettlement farming sectors

4.3 PEARL MILLET



- Pearl Millet increased in both area and production in the current season due to increased Government support under the presidential input scheme.
- Production increased from 28 046 MT produced in the 208/2019 season to 39 032 MT produced in the current season.
- This represents a **39%** increase in production.

4.4 PEARL MILLET SECTOR CONTRIBUTION



• The Communal sector contributed 34 700 MT, which is about 89% of the total production, However yield


levels of pearl millet are still very low compared to available commercial varieties .

4.4 FINGER MILLET

TABLE 11: FINGER MILLET PRODUCTION BY PROVINCE							FIGURE	11: FINGER MILLET PRODUCTION BY PROVINCE
	2019/2020 2018/2019		4500	0.45				
PROVINCE	На	T/Ha	мт	На	T/Ha	мт	4000	
Mashonaland West	751	0.27	205	1537	0.21	330	<u>ع</u> 3000	
Mashonaland Central	235	0.22	51	456	0.33	150	2500 v 2500	
Mashonaland East	4 530	0.36	1 612	3 685	0.28	1 047	1 500	- 0.2 Period - 0.15
Manicaland	11 089	0.25	2 790	7 117	0.21	1 520	1000 500	
Midlands	3 160	0.29	920	3 147	0.23	732	0	
Masvingo	14 180	0.30	4 211	9 140	0.35	3 161		and west name of the stand s
Matabeleland North	12	0.39	5	2	0.01	0	thonala	and West nashoraand East Nanicaand Midlands Nashingo north Nashoraand South Nashoraand Nashoraand Nashoraand South
Matabeleland South	125	0.04	5	63	0.1	7	N ^{25.}	Mastr Mos Mass
Total	34 082	0.29	9 799	25 146	0.28	6 947		2019/2020 MT 🔲 2018/2019 MT — 2019/2020 T/Ha — 2018/2019 T/Ha
	B: Estimated Yield (T/Ha) has been computed as a function of Total Production/ otal Area. All figures in the tables are rounded off to the nearest whole number							


• Finger Millet production increased from 6 947 MT in the 2018/2019 season to 9 799 MT, However the yield levels remain low at 0.28T/Ha

4.5 FINGER MILLET SECTOR CONTRIBUTION



[•] Finger Millet production remains largely dominated by the communal sector. However, yield levels remain very low across all sectors.

4.6 GROUNDNUT




• Mashonaland East had the highest groundnut production followed by Midlands's province.

Groundnut production increased from 70 902 MT to 87 498 MT. This is 23% increase with average yield of

0.42 T/Ha.

4.7 ROUND NUT



- Estimated roundnut production decreased by 19% from 29 396 MT in the 2018/2019 season to 23 832 MT in the 2019/2020 season.
- The decrease is a result of reduced area planted under the crop attributed to poor spatial and temporal rainfall distribution which may have hindered planting by most farmers in traditional roundnut growing areas.

4.8 SUGAR BEANS





FIGURE 15: SUGAR BEANS PRODUCTION (MT) BY PROVINCE


- Estimated production has increased by 33% from 9 528 MT in the 2018/2019 season to 12 650 MT in the 2019/2020 season.
- The increase is attributed to a marked improvement in productivity levels of 42% from 0.31 T/ Ha to 0.44T/Ha • in the 2019/2020 season.

4.9 COWPEA




- Estimated cowpea production for 2019/2020 season stands at 18 430 MT, a 26% increase from 14 655 MT in the 2018/2019 season.
- There was an increase in area planted to the crop attributed to presidential input support as well as drought mitigation response programs through development partners

4.10 SWEET POTATO




- The area planted to sweet potato this season increased from **17 505 Ha** planted last season to **19 795 Ha** planted this year.
- Sweet potato production increased by **30%** from **88 248 MT** last year to **114 558 MT** this year.

4.11 SESAME




- Sesame production is estimated at 5 037 MT which is 15% decrease compared to 5 958 MT obtained in 2018/2019 season. Production was affected by the early cessation of the rains.
- The sustained production increase is due to the lucrative market price.

4.12 RICE




- The area planted to rice increased this current season to **988Ha** this season from **499Ha** planted last year.
- Rice production decreased from **297 MT** last year to **192 MT** this year due to early cessation of the season.
- This represents a **35%** decrease in production.

4.13 SUNFLOWER



- Sunflower production increased from 6 356 MT in 2018/2019 season to 9 447 MT in 2019/2020 season.
- This is 49% increase at average yield of 0.38 t/ha.


4.14 TOBACCO



• Tobacco production is expected to decline slightly from the record 259 530 MT produced last year to

224 158 MT in the current season due to the reduced area and the erratic rains which were experienced.


4.15 COTTON



Cotton production is estimated at **101 000 MT (101 Million Kgs)** which is **32%** more than **76 687 MT (76.7 Million**

Kgs) obtained in 2018/2019 season due to increased coverage of the Presidential Input Scheme.

4.16 SOYABEAN



• Soyabean production is at **47 088 MT** compared to **60 068 MT** in 2018/2019 season which is a **22%** decrease and can be attributed to late onset of the season and poor rainfall distribution.

4.17 OTHER FIELD CROPS

4.17.1 Cassava

• Cassava production increased from **12 796 MT** compared to **5 602 MT** in 2018/2019 season which is a **22%** decrease in production.

4.17.2 Bio fortified Crops

- Bio fortified Beans (NUA45) increased from **963 MT** last season, to **1 301 MT** in the 2019/2020 season.
- This was largely due to increased promotion and availability of seed from both development partners and private sector

4.17.3 Paprika

Paprika production decreased to 67 MT in the 2019/2020 season from 869 MT produced in the 2018/2019 season.

5 HORTICULTURE

5.1 PERENNIAL CROPS PRODUCTION

TABLE 24: PERRENIAL CROPS PRODUCTION

CROP	4	AREA		YIELD			PRODUCTION		
GRUP	2019/2020	2018/2019	%	2019/2020	2018/2019	%	2019/2020	2018/2019	%
Теа	7 582	7 567	0	5	5	6	40 185	37 835	6
Coffee	573	542	6	1,01	0,98	3	579	531	9
Orange	3 994	3 917	2	38	34	12	151 772	133 178	14
Lemon	439	392	12	42	39	8	18 438	9 750	89
Banana	7 539	7 187	5	36	35	3	271 404	252 376	8
Apples	189	185	2	23	21	10	4 347	3 885	12
Peaches and Nectarines	414	402	3	22	20	10	9 108	8 040	13
Macadamia	9 525	7 383	29	6.5	8	-19	61 913	43 064	44
Avocado	2 051	1 859	10	41	32	28	84 091	59 488	41
Mango	4 285	4 005	7	25	24	4	107 125	95 475	12
Sugar cane	74 189	70 422	5	79	84	-6	5 860 931	5 562 674	5

• There is a significant increase in area under Macadamia that has resulted in a **19%** decline in yield, as the newly planted plantations are not yet at bearing stage.

• Coffee production has increased by **9%**. The increase can be attributed to the lucrative prices being offered on the market.

5.2 ANNUAL CROPS PRODUCTION

TABLE 25: PERRENIAL CROPS PRODUCTION

CROP	REA		YIELD PRODUCTION			DUCTION			
	2019/2020	2018/2019	%	2019/2020	2018/2019	%	2019/2020	2018/2019	%
Butternut	16 246	12 048	35	19	15	27	308 674	180 720	71
Cabbage	18 246	14 750	24	45	31	45	821 070	457 250	80
Carrot	5 691	4 369	30	22	20	10	125 202	87 380	43
Cucumber	4 020	3 215	25	15	12	25	60 300	38 580	56
Irish Potato	25 773	21 482	20	23	19	21	592 779	408 158	45
Leafy Vegetables	15 542	8 270	88	28	29	-3	435 176	239 830	81
Okra	3 794	2 842	33	5	5	0	18 970	14 210	33
Onion	8 641	6 254	38	21	17	24	181 461	106 318	71
Peas	4 625	3 691	25	4	4	0	18 500	14 764	25
Pepper	3 644	2 948	24	8	8	0	29 152	23 584	24
Pineapples	653	548	19	14	12	17	9 142	6 576	39
Tomato	32 286	24 361	33	25	18	39	807 150	438 498	84
Watermelon	5 142	3 719	38	36	25	44	185 112	92 975	99

• There is a significant increase in production of annual crops for the **2019/2020** season compared to the

2018/2019 season.

• Estimated Irish potato production stands at **592 779 MT** which is **45%** more than the **408 158 MT** obtained during the 2018/2019 season.

6 LIVESTOCK PRODUCTION


6.1 LIVESTOCK NUMBERS

TABLE 26: LIVESTOCK NUMBERS BY SPECIES BY PROVINCE

Province	Cat	tle	She	ер	Goats		Pigs	
FIOVINCE	2018	2019	2018	2019	2018	2019	2018	2019
Mashonaland West	497 369	443 682	14 976	10 451	252 515	437 886	20 785	14 504
Mashonaland Central	563 470	590 547	68 931	90 453	321 732	391 622	41 421	41 820
Mashonaland East	674 532	567 616	35 476	28 037	315 796	272 567	51 443	44 436
Manicaland	591 084	607 990	75 693	84 963	637 123	608 739	40 579	51 760
Midlands	922 890	921 672	24 566	23 476	538 255	562 583	26 453	21 631
Masvingo	1 277 577	1 028 976	95 460	109 675	625 541	659 430	66 464	58 417
Matabeleland North	583 871	670 363	39 835	36 723	415 900	405 569	23 560	30 469
Matabeleland South	658 518	612 924	126 222	163 918	576 134	530 006	7 592	6 471
Total	5 774 525	5 443 770	481 159	522 955	3 707 357	4 360 838	278 297	227 749


• Beef cattle number reduced by **5.7%** from **5 774 525 cattle** in 2018 to **5443 770 cattle** in 2019. The major reasons for the reduction in numbers includes drought which led to reduced productivity, drought and disease related deaths and forced sales and slaughters related to both drought and diseases

6.2 CATTLE CONDITION FIGURE 24: CATTLE CONDITION




• The condition of beef cattle is generally fair to good in most districts except in some parts of Beitbridge, Chiredzi, Matobo, Mberengwa, Bubi and Umguza districts.

6.3 GRAZING CONDITION AND AVAILABILITY FIGURE 25: GRAZING CONDITION




- The grazing condition at the time of assessment was mostly fair except in Beitbridge, Gwanda, Tsholotsho, Buhera and Bulilima districts where the condition is fair to poor.
- The condition of grazing is expected to deteriorate as the season progresses.

FIGURE 26: GRAZING AVAILABILITY



- Available grazing is expected to last from four to eight months in most districts. The southern districts will have grazing challenges as availability will last up to June and animals will need alternative feed sources like browse, hay and supplementary feeds.
- For the other provinces, communal areas will have shortage of grazing due to over-stocking on generally poor quality veld.

6.4 WATER AVAILABILITY FIGURE 27: WATER AVAILABLITY



- Water for livestock was available in most districts at the time of assessment.
- Districts in Matabeleland North, Matabeleland South, parts of Masvingo and Midlands provinces are experiencing water challenges as livestock are beginning to move long distances to perennial water sources such as dams, boreholes and perennial rivers

6.5 CALVING RATES

TABLE 27: CALVING RATES BY PROVINCE

		Calving Rates (%)							
Province	LSCF	A2	A1	SSCF	OR	СА			
Mashonaland West	59	54	49	46	45	44			
Mashonaland Central	36	33	33	32	30	29			
Mashonaland East	54	58	38	40	39	40			
Manicaland	37	42	43	42	40	38			
Midlands	47	54	41	41	36	33			
Masvingo	44	41	40	43	42	32			
Matabeleland North	50	44	49	47	37	17			
Matabeleland South	42	34	41	60	46	38			
National Average	46	45	42	44	39	34			

- The national average calving rates remain very low ranging from **34%** in communal areas to **46 %** in the largescale commercial sector, against a national target of above **60%**.
- The low calving rates are attributed to poor nutrition especially in the small holder sector.

6.6 BULLING RATIO

TABLE 28: BULLING RATIOSBY FARMING SECTOR

Season	LSCF	A2	SSCF	A1	OR	СА
2019/20	17	14	12	10	12	9
2018/19	20	15	12	10	11	9

- The national bulling ratio ranges between 1:9 in small scale farming sector and 1:20 in the large scale farming sector against a national target of 1:20-25
- The calving rate remains low despite the high number of bulls. Most dry cows are not cycling/going on heat regularly as a result of poor nutrition and multiple uses such as draft power and milking for household use.
 Penning also presents challenges for breeding to those farmers who do not own bulls in the smallholder sector.
- As a management measure, excess bull calves can be converted to steers or draft power

6.7 CATTLE MORTALITY

TABLE 29: CATTLE MORTALITY

Province	Mortality (%)				
Province	2019/2020	2018/2019			
Manicaland	6	4			
Mashonaland Central	7	5			
Mashonaland East	5	5			
Mashonaland West	5	5			
Masvingo	10	4			
Matabeleland North	16	4			
Matabeleland South	5	5			
Midlands	11	4			
National average	9	5			

- The national average cattle mortality increased from 5% in 2018 to 9% in 2019. The acceptable national average mortality rate is 5%
- The high mortality together with low cow productivity has contributed to the reduction in the of the national cattle herd
- Highest mortality was recorded in Matabeleland North province followed by Midlands and Masvingo province
- Drought and diseases were the major causes of these high mortalities

TABLE 30: DROUGHT RELATED CATTLE DEATHS BY PROVINCE

Province	Poverty Deaths
Mashonaland West	57
Mashonaland Central	1 552
Mashonaland East	35
Manicaland	1 436
Midlands	9618
Masvingo	17 580
Matabeleland North	10 052
Matabeleland South	25 758
Total	66 088

• Matabeleland South, Masvingo and Matabeleland North experienced the highest drought related cattle deaths, whilst Mashonaland east had recorded the lowest deaths.


- Drought mitigation activities carried out to avert losses included;
 - Zimbabwe Resilience Building Fund through its implementing partners provided training on feed formulation to farmers, promoting pasture production and providing subsidized commercial feeds in 17 districts across the country
 - Relief grazing in Matabeleland South, Matabeleland North and Masvingo provinces
 - Destocking
 - use of bought in stock feeds and hay

6.8 BEEF CATTLE OFFTAKE

Farming Sector	Off-take (%)
LSCF	8
A2	7
A1	4
SSCA	5
OR	4
СА	3
National Average	6

- National average beef cattle off-take was 6% in 2019
- Highest off-take of 8% was reported in LSCF sector whilst the lowest of 3% was reported in the Communal areas against an expected 15%

6.9 CATTLE MARKETING



- Most cattle were marketed through abattoirs and open market which accounted for 37% and 40% of total cattle sales respectively.
- Open market is the major marketing type of cattle marketing in Communal, old resettlement, and A1 farming Sectors whilst abattoirs and open market are the major market for cattle in LSCF, A2 and SSCA farming sectors with abattoir market being dominant.

REGULATED CATTLE SALES

- Number of cattle sold through regulated cattle sales (Cattle auctions) remain very low and are dominated by commercial cattle sales through CC Sales
- **5 057** cattle were sold through cattle auction sales
- Most communal cattle sales were done in Masvingo, Matabeleland South and Matabeleland North provinces.






FIGURE 30: MONTHLY CATTLE MARKETING




BEEF CATTLE SLAUGHTERS AT ABATTOIRS




 Cattle slaughters at abattoirs decreased by 12% from 266 220 cattle in 2018 to 235 018 cattle in 2019 and 17% lower than the peak slaughters in 2016 when 284 688 cattle were slaughtered.

6.10 DAIRY PRODUCTION




- Total milk production increased by 6%, from 75 422 158 Litres in 2018 to 79 896 215 Litres in 2019
- Milk production continues to show growth. However, the current production levels are still short of the 120 million litres for national requirements to be met.
- The current dairy herd stands at 39 856 animals with 19 022milking cows. The national target for milking cows to meet and exceed requirements is 32,000. Average production per cow per day was 14 litres. The smallholder dairy sector still contributes about 4% of national milk production.
- Productivity remains low due to high cost of breeding stock, stock feed and veterinary drugs.



6.11 SMALL RUMINANTS (SHEEP AND GOATS)

- Most small ruminant sales are being made through open markets (77% for goats and 67% for sheep)
- Middlemen are also taking a pivotal role in the marketing of goats and sheep accounting for 12% and 14% respectively
- Most abattoir sales were mainly made by LSCF and A2 farmers
- An estimated offtake of **11%** and **9%** were recorded for goats and sheep respectively. The Communal sector dominates in sale of small ruminants especially goats






- A total of **3 985** sheep with an average carcass weight of **17 Kgs** were slaughtered at abattoirs across the country.
- Twelve thousand three hundred and eighty one (12 381) goats with an average carcass weight of 11 Kgs were slaughtered at abattoirs.

TABLE 33: SMALL RUMINANT MORTALITIES BY FARMING SECTOR

	Mortality (%)				
Sector	Goats	Sheep			
LSCF	4	3			
A2	5	5			
A1	8	10			
SSCA	6	7			
OR	8	8			
CA	9	9			
National	8	6			

- National average goats and sheep mortalities are estimated at 8% and 6% respectively
- High mortalities were recorded in A1, OR and CA sectors
- Major cause of mortalities were diseases




6.12 POULTRY PRODUCTION

Source: ZPA


- A total of 74 million day old broiler chicks were produced in 2019, a 19% decline compared to the 91 million chicks produced in 2018. The decrease was as a result of high costs of production (mainly feed and day old chicks) and general reduction in consumption (Figure 37)
- Broiler Day Old Chick production averaged **6.2 million** chicks a month with a total annual production of 74 million in 2019.
- Meat production has also declined from 143 000 MT to 114 000 MT, a change of -20% which is a direct result of reduced production
- Broiler production continue to be dominated by small scale farmers (Figure 38)

TABLE EGG PRODUCTION



- Overall table egg production recorded an estimated 24% increase from 36.4 million dozens in 2018 to 50.4 million dozens in 2019. This is still lower than the 2016 high of 55.3 million dozens (Figure 39)
- Both large-scale and small scale farmers recorded increases in table egg production

6.13 PIG PRODUCTION



- The national sow herd is estimated to be **60 351** of which about **20 351** is in the commercial pig production sector
- Cumulative annual pig slaughter figures at abattoirs continues to increase recording a 11% total increase from 173 694 pigs in 2018 to 192 747 pigs in 2019

7. STOCK-FEEDS SITUATION

- Stock feeds for all species are available on the market but out of reach for most smallholder farmers
- This has affected viability of most enterprise.
- Farmers especially those into poultry and piggery have had to scale down operations.
- The major driver of the high cost of stock feeds is the shortage locally produced raw materials leading to importation against foreign currency shortages.


Product	7 January 2020 Price (\$)	01May 2020 Price (\$)	Change (%)
Beef Pen Feeding Meal	282.00	671.00	127
Beef Survival Meal	267.00	613.00	116
Pig Grower Meal	527.00	1 147.00	117
Broiler Starter	640.00	1 290.00	101
Broiler Finisher	620.00	1 250.00	102
Layers Mash	527.00	1 064.00	102

Table 35: Comparison of stock feed prices for selected stockfeeds between 7 January 2020 and 01 May 2020

• Table 35 above shows that prices of all stock feeds increased by more than **100%**


8. DIPPING AND TICKBORNE DISEASES

8.1 CATTLE DIPPING SITUATION



- Dipping has improved in 2020 as accaricide supply has increased. The availability of water for dipping also contributed to the improvement in dipping.
- Development partners under the Zimbabwe Resilience Building Fund (UNDP) and FAO have committed to supply accaricides for 6 months covering almost 50% of the country's dip tanks.
- Dipping sessions per dip tank averaged 8 to 12 across the country in 2019 instead of the recommended 26 to 32 owing to shortages of dipping chemicals

8.2 TICK-BORNE DISEASES



TICK BORNE DISEASES

- Tick borne diseases continue to pose a serious threat to the national herd. This is a continuation of the problem that started in 2017 when the national dipping programme started to face serious challenges
- The highest number of cattle deaths have been attributed to Theileriosis with Mashonaland East, West, Central and parts of Manicaland being the worst affected
- Other tick borne diseases reported were Anaplasmosis (Gall sickness), Babesiosis (Red water) and Heart water.

9. RECOMMENDATIONS

- 9.1 There is need for importation of grain for the country to meet the national cereal requirement.
- 9.2 Continued support of traditional grains programme since it has positive impacts on production especially focusing on post-harvest management and value addition.
- 9.3 Climate proofing of the agricultural system through promotion of water conservation (Pfumvudza concept) and harvesting techniques.
- 9.4 Capacity building on water-harvesting technology key- rainfall distribution in time is critical.
- 9.5 Promotion of low cost supplementary irrigation targeting smallholders
- 9.6 Promote improved genetic material for horticultural crops to meet market requirements.
- 9.7 Provide long term financing for revitalization of the plantation horticultural crops sector through establishment of a horticulture revolving fund.
- 9.8 The supply of dipping chemicals and dip tank rehabilitation need to be prioritised.
- 9.9 There is need to promote pasture production at household level especially in smallholder sector.
- 9.10 Speeding up of hay cutting and baling before the peak of the fire season.
- 9.11 Support to extension services to enhance extension delivery system for increased production and productivity.